Technical Data

TECHNICIAN SERIES PX ECO-LITE FE2 5W-30

Product Description

PX Eco-Lite FE2 is a fully synthetic engine oil that is specifically designed to increase fuel efficiency, reduce engine emissions, promotes long engine life, and minimizes the number of oil changes. It meets the highest API SN and ILSAC GF-5 classifications and exceeds the most demanding requirements needed by today's modern engines.

PX Eco-Lite FE2 is formulated to prevent oxidation, keep engines clean and minimize wear in today's engines, which run hotter because of cramped engine bays, smaller sumps, turbo-charging, super-charging, variable timing, and other engineering advances. PX Technician Series Eco-Lite FE2 is NOT recommended for diesel engines.

Applications/ Benefits

- Formulated for use with unleaded or E85 Bio-ethanol fuel
- Meets Gen 2 requirements for GM petrol engines
- Excellent low temperature viscosity promotes quick start-up full lubrication
- Emission system durability & increased fuel economy
- Specifically helps prevent LSPI (Low Speed Pre Ignition)
- Turbocharger/ supercharger protection
- Piston cleanliness and engine sludge protection
- Wear protection and extended service life

Typical Characteristics

Test Description	Result
SAE Viscosity Grade	5W-30
Specific Gravity @ 15 0 C	0.8531
Flash Point, 0 C	216
Pour Point, 0 C	-39
Kinematics Viscosity	
@ 40C (cSt)	63.69
@ 100 0 C (cSt)	11.23
Viscosity Index	171
TBN (mgKOH/g)	7.3



9/05/2019 2:05 PMPHOENIX LUBRICANTS 2 Paul Court Dandenong Victoria 3175 Tel. +61 3 9791 7661

www.phoenixlubricants.com.au Email: info@phoenixlubricants.com.au

Specifications

API: SN PLUSILSAC: GF-5

GM: Gen 2 Proprietary Fill – Petrol Only
Ford: WSS-M2C929-A, WSS-M2C946-A

• Chrysler: MS 6395

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice.

