

# Technical Data

## TECHNICIAN SERIES

### PX RACE SYN 0W-40

#### Product Description

PX Race SYN 0W-40 is a fully synthetic Polyalphaolefin (PAO) engine oil that offers the ultimate in performance and protection. It has been especially formulated to provide superior low temperature soot dispersancy, outstanding high temperature deposit control, offer naturally high viscosity index and superior thermo-stability.

PX Race SYN 0W-40 recognizes the importance of a properly formulated lubricant that can withstand extreme temperature at high rpm.

#### Applications/ Benefits

- Super fluidity over wide ranges of temperature and operating conditions
- Maximizes obtainable engine horsepower
- Superior high temperature protection
- Suitable for naturally aspirated, turbo charged and supercharged engines

#### Typical Characteristics

Test Description	Result
Specific Gravity @ 15 ° C	0.8439
Flash Point, Deg. C	218
Pour Point, Deg. C	-45
Kinematics Viscosity @ 40 ° C (cSt)	82.48
Kinematics Viscosity @ 100 ° C (cSt)	14.71
Viscosity Index	188
TBN (mgKOH/g)	10.2
HTHS, cP	3.5

#### Specifications

- API: SN/CF
- ACEA: A3/B4
- BMW: LL01
- Mercedes: 229.3, 229.5
- Porsche: A40
- RN 0700/ 0710
- VW: 502.00/505.00
- Ford: M2C937-A

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice.



PHOENIX LUBRICANTS  
2 Paul Court Dandenong Victoria 3175  
Tel. +61 3 9791 7661

[www.phoenixlubricants.com.au](http://www.phoenixlubricants.com.au)  
Email: [info@phoenixlubricants.com.au](mailto:info@phoenixlubricants.com.au)