SAFETY DATA SHEET

Issue Date: May 2012

Revision 3.0 Date: 05/08/2019



1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

PX HD COOLANT LONG LIFE GREEN PREMIX

Code : COOLPREMIX

Use : Coolant

Name: Phoenix Lubricants Pty Ltd (ABN 41 820 770 617)

Address: 2 Paul Court, Dandenong Vic 3175

Telephone : (03) 9791 7661 **Facsimile** : (03) 9791 8831

Email: info@phoenixlubricants.com.au **Web**: www.phoenixlubricants.com.au

2. HAZARD IDENTIFICATION

NOT A HAZARDOUS CHEMICAL ACCORDING TO CRITERIA OF SAFE WORK AUSTRALIA
NOT DANGEROUS GOODS FOR TRANSPORT ACCORDING TO AUSTRALIAN DANGEROUS GOODS CODE (ADGC)

Poisons Schedule : Schedule 5 CAUTION

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS:

Component	CAS No.	% Proportion
Ethylene glycol	107-21-1	30-60%
Denatonium Benzoate	3437-33-6	<1%
Other ingredients classified as not hazardous according to Safe Work Australia Criteria		Balance

4. FIRST AID MEASURES

REMOVE FROM EXPOSURE IF SAFE TO DO SO

Swallowed (Oral) : • Wash mouth with water

Unlikely exposure route • Give 2 glasses of water to drink

Do not induce vomiting

• Seek immediate medical attention

Eye: • Remove contact lenses

• Hold eye open

• Wash carefully for fifteen (15) minutes

Seek medical attention

Skin (Dermal) : • Flush skin with water

Wash skin with soap and waterRemove contaminated clothing

• Remove containinated clothing

• Seek immediate medical attention if you feel unwell

Inhalation : • Remove from exposure

• Loosen/remove clothing

If breathing affected, clear airways

Move to fresh air

• Seek immediate medical attention

ADVICE TO DOCTOR

Print Date: 14/08/2019 Page 1 of 6



- Treat symptomatically with supportive care.
- For further information contact:

AUSTRALIAN POISONS INFORMATION CENTRE 24 HOUR SERVICE 13 11 26

NEW ZEALAND POISONS INFORMATION CENTRE 24 HOUR SERVICE 0800 764 766

5. FIRE FIGHTING MEASURES

Hazchem Code : Not allocated

Fire & Explosive Properties : Non Flammable

Suitable Extinguishing : Choice of extinguishing media should be made by

Media what other materials are present.

Hazards from Combustion: Product is a mobile liquid. Oxides of carbon may

Products be evolved after evaporation of all the water

Precautions for Fire : • Positive pressure self-contained breathing apparatus (SCBA) and protective suit • Protective fire fighting clothing

6. ACCIDENTAL RELEASE MEASURES

Spills or Leaks : • Restrict access to area until clean-up is completed

• Wear PPE as per this SDS

• Absorb / contain waste, use earth, vermiculite, inert material

• Collect and seal in appropriate container

· Label the container

· Create bund

• Do not contaminate surface waters- depletion of oxygen in the water will occur.

• Observe regulatory reporting requirements (Incident Notification)

Protect drains from potential spills to minimise contamination. In the case of large
 The contact the cont

spills contact the appropriate authorities.

Disposal: • Dispose of in accordance with States, Local Government, EPA or related

Regulations or Codes of Practice.

7. HANDLING AND STORAGE

Precautions for Safe : Handling

- Eye wash and safety shower to be available in the workplace.
- Wear PPE as per this SDS
- Compliant eyewash to be provided for external work.
- Observe good personal hygiene practices.
- Wash hands thoroughly after handling.
- · Avoid contact with skin and eyes.
- Use only in well ventilated areas. Ensure Exposure Standard is not exceeded
- Wear respiratory protection if vapours or spray or mist is present.
- Report incidents.
- No eating or drinking in the work area.
- Remove contaminated clothing before entering eating areas.

Conditions for Safe : Storage

- Store away from food, drink and animal feedstuffs.
- Store away from oxidising agents and strongly acid or alkaline materials.
- · Provide ventilation.
- Separate or segregate from incompatibles (in accordance with regulatory requirements).
- · Avoid direct sunlight.
- Keep protected from weather.
- · Provide spill kit.

Container Type: • Store in original packaging as approved by manufacturer or regulatory direction.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

CONSTITUENT DATA

EADUCI	JRE STAI	חסאחוו
		IUAIIU

Components	CAS-No.	Туре	Value
Ethylene Glycol Vapour	107-21-1	TWA	20 ppm, 52 mg/m ³
		STEL	40 ppm, 120 mg/m ³
Ethylene Glycol Mist	107-21-1	TWA	10mg/m ³

ENGINEERING CONTROLS

 Use in a well ventilated area. Provide exhaust ventilation when exposure standard might be exceeded, for example sprayed material

PERSONAL PROTECTION

Eye Protection: Wear safety glasses if there is risk of contact, in accordance with AS/NZS1337, Eye

protection for industrial applications.

Gloves: Wear industrial nitrile gloves in accordance with AS/NZS 2161.1 - Occupational

protective gloves, selection, use and maintenance where contact may occur.

Clothing : Wear body protective clothing and industrial footwear in accordance with AS2919 -

Industrial clothing.

Respiration: Wear an approved respirator in accordance with AS/NZS1715 - Selection, use and maintenance of respiratory protective devices (when ventilation is inadequate)



















Available

Side shields

PVC

Industial

Non slip

Organic

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Light green liquid

Odour Mild pH (16% sol'n) 8.3 - 8.5Vapour Pressure (kpa) N/A **Vapour Density** N/A **Boiling Point** N/A Freezing / Melting Point N/A Solubility in Water Soluble Solubility in Solvents N/A Density 1.11-1.12

Delisity . 1.11-1.12

INFORMATION FOR FLAMMABLE MATERIALS

Flash Point : N/A
Upper Explosive Limit : N/A
Lower Explosive Limit : N/A
Ignition Temperature : N/A

ADDITIONAL INFORMATION

Specific Heat Value : N/A
VOC Content : N/A
Evaporation Rate : N/A
Kinematic Viscosity @ 40°C : N/A
Kinematic Viscosity @ 100°C : N/A
Octanol / Water Partition : N/A

Coefficient

Saturation Vapour : N/A

Concentration

Decomposition: N/A

Temperature

Electrostatic Stability : N/A

Pour Point : N/A

10. STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions of use, storage and temperature.

Incompatible Materials: Incompatible with oxidising agents.

Hazardous Decomposition

Products

Oxides of carbon.

Hazardous Reactions : This material is combustible after evaporation of the aqueous component.

11. TOXICOLOGICAL INFORMATION

ACUTE HEALTH EFFECTS (IMMEDIATE OR WITHIN 14 DAYS - SHORT TERM)

Swallowed (Oral) : May be harmful if swallowed. Swallowing large quantities may cause kidney

damage. Irritation of the gastro-intestinal tract may occur with nausea and vomiting.

Eye : May cause mild irritation

Skin (Dermal): May cause moderate irritation from prolonged exposure or to broken skin.

Inhalation: Not a likely route of exposure. Mists or vapours may be irritating to eyes, nose, throat

and lungs.

CHRONIC (MEDIUM OR LONG TERM)

• Contains mono ethylene glycol, which is harmful if swallowed. 100ml is considered a lethal dose for an adult. Repeated exposure to high doses by swallowing (animal studies) has caused kidney, liver and central nervous system damage.

MIXTURE VERSUS INGREDIENT

Not provided

SUMMARY OF TOXICITY DATA

Component	CAS-No.	Data
Not provided		

CARCINOGENICITY

• This product does not contain any substances that are listed as carcinogens.

COMPOUNDING EFFECTS

Not known

FOR COOLANTS

USED COOLANTS

 Products resulting from the operation of the vehicle may contain other contaminants. Contact with all types and makes of coolant must therefore be avoided, and a high standard of personal hygiene maintained.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity studies have been done on this product

Persistence / Degradability : Readily biodegradable.

Bio-accumulative Potential : Does not bio-accumulate

Environmental Fate

(Exposure)

Do not allow waste product to reach waterways, drains and sewers

Component	CAS-No.	Data
Not provided		

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Special Precautions for

See Section 6.

Landfill or Incineration

14. TRANSPORT INFORMATION

UN Number : Not allocated

UN Proper Shipping Name : Not allocated

Dangerous Goods Class and Subsidiary Risk : Not allocated

Packing Group : Not allocated Hazchem Code : Not allocated

Special Precautions: Not regulated under ADGC

15. REGULATORY INFORMATION (AUSTRALIA)

- Regulated under the SUSMP Poisons Standard as Schedule 5 for home use
- Workplace Exposure Standards for Atmospheric Contaminants [Safe Work Australia, April 2013]
- State and Territory Work Health and Safety/Occupational Health and Safety Regulations

16. OTHER INFORMATION

References: For detailed advice on personal protective equipment, refer to the following Australian

Standards:

HB9 (Handbook 9) Manual of industrial personal protection
AS/NZS 1337: Eye protectors for industrial applications

• AS/NZS 1715: Selection, use and maintenance of respiratory devices

AS/NZS 1716: Respiratory protective devices

CONTACT POINT

For information concerning details on this Safety Data Sheet, **Phoenix Lubricants Pty Ltd, 2 Paul Court, Dandenong Vic,** (03) 9791 7661

All reasonable care has been taken to ensure that the information and advice contained herein is accurate at the time of printing. However, Phoenix Lubricants Pty Ltd accepts no tortious or contractual liability for any loss or damages suffered as a consequence of reliance on the information and advice contained herein.

Note:

This SDS is derived from International and Australian data and is formatted generally in accordance with the Safe Work Australia Code of Practice. Modifications are not made to technical data except where terminology is unclear or additional information is required to satisfy Australian requirements.

SOURCE FOR DATA

MSDS Issue Date : 11/05/2012 SDS Revision 3.0 Date : 05/08/2019

Manufacturer / Supplier : Phoenix Lubricants Pty Ltd